

Author Index

- Altschuler, S.M., see Broussard, D.L. (40) 143
 Attali, B., see Matus-Leibovitch, N. (40) 261
- Baas, F., see Piosik, P.A. (40) 240
 Baek, J.-K., Heaton, M.B. and Walker, D.W.
 Up-regulation of high-affinity neurotrophin
 receptor, trk B-like protein on Western blots
 of rat cortex after chronic ethanol treatment
 (40) 161
 Bak, S.-Y., see Hartley, D.M. (40) 285
 Barger, S.W. and Mattson, M.P.
 Induction of neuroprotective κ B-dependent
 transcription by secreted forms of the
 Alzheimer's β -amyloid precursor (40) 116
 Bartolami, S., see Safieddine, S. (40) 127
 Baudry, M., see Tocco, G. (40) 229
 Belin, M.-F., see Besançon, R. (40) 136
 Benfenati, F., Onofri, F., Czernik, A.J. and
 Valtorta, F.
 Biochemical and functional characterization
 of the synaptic vesicle-associated form of
 Ca^{2+} /calmodulin-dependent protein kinase
 II (40) 297
 Benowitz, L.I., see Chao, S. (40) 195
 Besançon, R., Simonneaux, V., Jouvét, A., Be-
 lin, M.-F. and Fèvre-Montange, M.
 Nycthemeral expression of tryptophan hy-
 droxylase mRNAs in the rat pineal gland
 (40) 136
 Best, J.A., see Chen, Y. (40) 42
 Bi, X., see Tocco, G. (40) 229
 Bolhuis, P.A., see Piosik, P.A. (40) 240
 Boulekbache, H., see Vríz, S. (40) 221
 Broussard, D.L., Li, X. and Altschuler, S.M.
 Localization of GABA_A α 1 mRNA subunit
 in the brainstem nuclei controlling
 esophageal peristalsis (40) 143
 Browning, M.D., see Snell, L.D. (40) 71
 Bryan, J., see Hartley, D.M. (40) 285
- Carr, A.M., see Simerly, R.B. (40) 275
 Ceccatelli, S., see Giardino, L. (40) 310
 Chao, S., Benowitz, L.I., Krainc, D. and Irwin,
 N.
 Use of a two-hybrid system to investigate
 molecular interactions of GAP-43 (40) 195
 Chen, Y., Best, J.A., Nagamoto, K. and Tank,
 A.W.
 Regulation of tyrosine hydroxylase gene ex-
 pression by the m1 muscarinic acetylcholine
 receptor in rat pheochromocytoma cells (40)
 42
 Condamine, H., see Vríz, S. (40) 221
 Cox, B.M., see Romualdi, P. (40) 153
- Cummings, S.L., see Wang, Y. (40) 27
 Cummings, S.L., see Wang, Y. (40) 35
 Czernik, A.J., see Benfenati, F. (40) 297
- Denavit-Saubié, M., see Dumas, S. (40) 188
 Donatini, A., see Romualdi, P. (40) 153
 Dubner, R., see Messersmith, D.J. (40) 15
 Dumas, S., Pequignot, J.M., Ghilini, G., Mallet,
 J. and Denavit-Saubié, M.
 Plasticity of tyrosine hydroxylase gene ex-
 pression in the rat nucleus tractus solitarius
 after ventilatory acclimatization to hypoxia
 (40) 188
- Emson, P., see Makoff, A. (40) 165
 Emson, P., see Makoff, A. (40) 55
 Etkin, S., see Matus-Leibovitch, N. (40) 261
 Eybalin, M., see Safieddine, S. (40) 127
 Ezra-Macabee, V., see Matus-Leibovitch, N.
 (40) 261
- Ferri, S., see Romualdi, P. (40) 153
 Fèvre-Montange, M., see Besançon, R. (40)
 136
 Finch, P., see Knuckey, N.W. (40) 1
 Flanders, K.C., see Knuckey, N.W. (40) 1
 Follesa, P., see Sircar, R. (40) 214
 Fujigasaki, H., Song, S.-Y., Kobayashi, T. and
 Yamakuni, T.
 Murine central neurons express a novel
 member of the cdc10/SWI6 motif-contain-
 ing protein superfamily (40) 203
 Fujita, J., see Takano, S. (40) 105
 Fujita, S., see Maeno, H. (40) 97
 Fukumoto, M., see Takano, S. (40) 105
 Fukuyama, H., see Takano, S. (40) 105
- Geller, A.I., see Hartley, D.M. (40) 285
 Ghilini, G., see Dumas, S. (40) 188
 Giardino, L., Puglisi-Allegra, S. and Ceccatelli,
 S.
 CRH-R1 mRNA expression in two strains
 of inbred mice and its regulation after re-
 peated restraint stress (40) 310
 Gietzen, D.W., see Wang, Y. (40) 27
 Gietzen, D.W., see Wang, Y. (40) 35
 Gillardon, F., Lenz, C., Waschke, K.F., Kra-
 jewski, S., Reed, J.C., Zimmermann, M.
 and Kuschinsky, W.
 Altered expression of Bcl-2, Bcl-X, Bax,
 and c-Fos colocalizes with DNA fragmenta-
 tion and ischemic cell damage following
 middle cerebral artery occlusion in rats (40)
 254
 Goebel, D.J.
 Quantitative gene expression of two types
 of glycine transporter in the rat central ner-
 vous system (40) 139
 Gu, J., see Messersmith, D.J. (40) 15
- Harrington, K., see Makoff, A. (40) 165
 Harrington, K., see Makoff, A. (40) 55
 Hartley, D.M., Neve, R.L., Bryan, J., Ullrey,
 D.B., Bak, S.-Y., Lang, P. and Geller, A.I.
 Expression of the calcium-binding protein,
 parvalbumin, in cultured cortical neurons
 using a HSV-1 vector system enhances
 NMDA neurotoxicity (40) 285
 Heaton, M.B., see Baek, J.-K. (40) 161
 Herschman, H., see Tocco, G. (40) 229
 Hoffman, P.L., see Snell, L.D. (40) 71
 Huang, Y.-y., see Wu, K. (40) 22
- Iadarola, M.J., see Messersmith, D.J. (40) 15
 Inoue, K., see Minami, Y. (40) 64
 Irwin, N., see Chao, S. (40) 195
 Ishii, N., Wanaka, A. and Tohyama, M.
 Increased expression of NLRR-3 mRNA af-
 ter cortical brain injury in mouse (40) 148
 Izenwasser, S., see Romualdi, P. (40) 153
- Johanson, C.E., see Knuckey, N.W. (40) 1
 Joly, C., see Vríz, S. (40) 221
 Jouvét, A., see Besançon, R. (40) 136
- Kim, D.J., see Messersmith, D.J. (40) 15
 Kimura, J., see Takano, S. (40) 105
 Kiyama, H., see Maeno, H. (40) 97
 Knuckey, N.W., Finch, P., Palm, D.E., Primi-
 ano, M.J., Johanson, C.E., Flanders, K.C.
 and Thompson, N.L.
 Differential neuronal and astrocytic expres-
 sion of transforming growth factor beta iso-
 forms in rat hippocampus following tran-
 sient forebrain ischemia (40) 1
 Kobayashi, T., see Fujigasaki, H. (40) 203
 Krainc, D., see Chao, S. (40) 195
 Krajewski, S., see Gillardon, F. (40) 254
 Kuschinsky, W., see Gillardon, F. (40) 254
- Lang, P., see Hartley, D.M. (40) 285
 Lelchuk, R., see Makoff, A. (40) 55
 Lenz, C., see Gillardon, F. (40) 254
 Li, J., see Snyder, S.E. (40) 79
 Li, X., see Broussard, D.L. (40) 143

- Lickteig, R.L., see Snell, L.D. (40) 71
 Lim, I.K., see Tocco, G. (40) 229
- Macaulay, A.J., see Priestley, T. (40) 271
 Maeno, H., Yoshimura, R., Fujita, S., Su, Q., Tanaka, K., Wada, K. and Kiyama, H. Cloning and characterization of the rat neurotensin receptor gene promoter (40) 97
 Makoff, A., Pilling, C., Harrington, K. and Emson, P. Human metabotropic glutamate receptor type 7: molecular cloning and mRNA distribution in the CNS (40) 165
 Makoff, A., Volpe, F., Lelchuk, R., Harrington, K. and Emson, P. Molecular characterization and localization of human metabotropic glutamate receptor type 3 (40) 55
 Mallet, J., see Dumas, S. (40) 188
 Maruyama, K., see Sasaki, K. (40) 157
 Matsunaga, T., see Minami, Y. (40) 64
 Mattson, M.P., see Barger, S.W. (40) 116
 Matus-Leibovitch, N., Vogel, Z., Ezra-Macabee, V., Etkin, S., Nevo, I. and Attali, B. Chronic morphine administration enhances the expression of Kv1.5 and Kv1.6 voltage-gated K⁺ channels in rat spinal cord (40) 261
 McNamara, R.K., Namgung, U. and Routtenberg, A. Distinctions between hippocampus of mouse and rat: protein F1/GAP-43 gene expression, promoter activity, and spatial memory (40) 177
 McNeill, T.H., see Snyder, S.E. (40) 79
 Messersmith, D.J., Kim, D.J., Gu, J., Dubner, R. and Iadarola, M.J. c-Jun activation of the DYNCRE3 site in the prodynorphin promoter (40) 15
 Minami, Y., Inoue, K., Shimada, S., Morimura, H., Miyai, A., Yamauchi, A., Matsunaga, T. and Tohyama, M. Rapid and transient up-regulation of Na⁺/myo-inositol cotransporter transcription in the brain of acute hypernatremic rats (40) 64
 Miyai, A., see Minami, Y. (40) 64
 Molteni, R., see Tascedda, F. (40) 171
 Morimura, H., see Minami, Y. (40) 64
 Mount, H.T.J., see Wu, K. (40) 22
 Nagamoto, K., see Chen, Y. (40) 42
 Namgung, U., see McNamara, R.K. (40) 177
 Neve, R.L., see Hartley, D.M. (40) 285
 Nevo, I., see Matus-Leibovitch, N. (40) 261
 Nunley, K.R., see Snell, L.D. (40) 71
 Ochu, E., see Priestley, T. (40) 271
 Ohashi, H., see Takano, S. (40) 105
 Onofri, F., see Benfenati, F. (40) 297
- Palm, D.E., see Knuckey, N.W. (40) 1
 Pequignot, J.M., see Dumas, S. (40) 188
 Pilling, C., see Makoff, A. (40) 165
 Piosik, P.A., Van Groenigen, M., Ponne, N.J., Valentijn, L.J., Bolhuis, P.A. and Baas, F. Caprine homologue of rodent 5'-AMP-activated protein kinase subunit and yeast SNF4/CAT3 is down-regulated by thyroid hormone (40) 240
 Ponne, N.J., see Piosik, P.A. (40) 240
 Priestley, T., Ochu, E. and Macaulay, A.J. Time-dependent changes in NMDA receptor expression in neurones cultured from rat brain (40) 271
 Primiano, M.J., see Knuckey, N.W. (40) 1
 Puglisi-Allegra, S., see Giardino, L. (40) 310
- Racagni, G., see Tascedda, F. (40) 171
 Reed, J.C., see Gillardon, F. (40) 254
 Riva, M.A., see Tascedda, F. (40) 171
 Romualdi, P., Donatini, A., Izenwasser, S., Cox, B.M. and Ferri, S. Chronic intracerebroventricular cocaine differentially affects *prodynorphin* gene expression in rat hypothalamus and caudate-putamen (40) 153
 Routtenberg, A., see McNamara, R.K. (40) 177
- Safieddine, S., Bartolami, S., Wenthold, R.J. and Eybalin, M. Pre- and postsynaptic M3 muscarinic receptor mRNAs in the rodent peripheral auditory system (40) 127
 Salton, S.R.J., see Snyder, S.E. (40) 79
 Sasaki, K., Tsukada, T., Maruyama, K. and Yamaguchi, K. Long-term regulation of synapsin I gene expression and neuronal morphology by cyclic AMP and low-dose staurosporine (40) 157
 Schauwecker, P.E., see Snyder, S.E. (40) 79
 Shimada, S., see Minami, Y. (40) 64
 Simerly, R.B., Young, B.J. and Carr, A.M. Co-expression of steroid hormone receptors in opioid peptide-containing neurons correlates with patterns of gene expression during the estrous cycle (40) 275
 Simonneaux, V., see Besançon, R. (40) 136
 Sircar, R., Follesa, P. and Ticku, M.K. Postnatal phencyclidine treatment differentially regulates *N*-methyl-D-aspartate receptor subunit mRNA expression in developing rat cerebral cortex (40) 214
 Snell, L.D., Nunley, K.R., Lickteig, R.L., Browning, M.D., Tabakoff, B. and Hoffman, P.L. Regional and subunit specific changes in NMDA receptor mRNA and immunoreactivity in mouse brain following chronic ethanol ingestion (40) 71
 Snyder, S.E., Li, J., Schauwecker, P.E., McNeill, T.H. and Salton, S.R.J. Comparison of RPTP ζ / β , phosphacan, and *trkB* mRNA expression in the developing and adult rat nervous system and induction of RPTP ζ / β and phosphacan mRNA following brain injury (40) 79
 Song, S.-Y., see Fujigasaki, H. (40) 203
 Su, Q., see Maeno, H. (40) 97
 Suen, P.-c., see Wu, K. (40) 22
- Tabakoff, B., see Snell, L.D. (40) 71
 Takano, S., Fukuyama, H., Fukumoto, M., Kimura, J., Xue, J.-H., Ohashi, H. and Fujita, J. PRL-1, a protein tyrosine phosphatase, is expressed in neurons and oligodendrocytes in the brain and induced in the cerebral cortex following transient forebrain ischemia (40) 105
 Tanaka, K., see Maeno, H. (40) 97
 Tank, A.W., see Chen, Y. (40) 42
 Tascedda, F., Molteni, R., Racagni, G. and Riva, M.A. Acute and chronic changes in K⁺-induced depolarization alter NMDA and nNOS gene expression in cultured cerebellar granule cells (40) 171
 Thompson, N.L., see Knuckey, N.W. (40) 1
 Ticku, M.K., see Sircar, R. (40) 214
 Tocco, G., Bi, X., Vician, L., Lim, I.K., Herschman, H. and Baudry, M. Two synaptotagmin genes, *Syt1* and *Syt4*, are differentially regulated in adult brain and during postnatal development following kainic acid-induced seizures (40) 229
 Tohyama, M., see Ishii, N. (40) 148
 Tohyama, M., see Minami, Y. (40) 64
 Tsukada, T., see Sasaki, K. (40) 157
- Ullrey, D.B., see Hartley, D.M. (40) 285
- Valentijn, L.J., see Piosik, P.A. (40) 240
 Valtorta, F., see Benfenati, F. (40) 297
 Van Groenigen, M., see Piosik, P.A. (40) 240
 Vician, L., see Tocco, G. (40) 229
 Vogel, Z., see Matus-Leibovitch, N. (40) 261
 Volpe, F., see Makoff, A. (40) 55
 Vríz, S., Joly, C., Boulekbache, H. and Condamine, H. Zygotic expression of the zebrafish *Sox-19*, an HMG box-containing gene, suggests an involvement in central nervous system development (40) 221
- Wada, K., see Maeno, H. (40) 97
 Walker, D.W., see Baek, J.-K. (40) 161
 Wanaka, A., see Ishii, N. (40) 148
 Wang, Y., Cummings, S.L. and Gietzen, D.W. Temporal-spatial pattern of *c-Fos* expression in the rat brain in response to indispensable amino acid deficiency. II. The learned taste aversion (40) 35
 Wang, Y., Cummings, S.L. and Gietzen, D.W. Temporal-spatial pattern of *c-fos* expression in the rat brain in response to indispensable amino acid deficiency. I. The initial recognition phase (40) 27
 Waschke, K.F., see Gillardon, F. (40) 254
 Wenthold, R.J., see Safieddine, S. (40) 127
 Wu, K., Xu, J.-l., Suen, P.-c., Huang, Y.-y. and Mount, H.T.J. Nitric oxide increases calcium/calmodulin-dependent phosphorylation of proteins in the postsynaptic density of adult rat cerebral cortex (40) 22
- Xu, J.-l., see Wu, K. (40) 22
 Xue, J.-H., see Takano, S. (40) 105
- Yamaguchi, K., see Sasaki, K. (40) 157
 Yamakuni, T., see Fujigasaki, H. (40) 203
 Yamauchi, A., see Minami, Y. (40) 64
 Yoshimura, R., see Maeno, H. (40) 97
 Young, B.J., see Simerly, R.B. (40) 275
- Zimmermann, M., see Gillardon, F. (40) 254

